



SKI

C O L L E C T I O N

17

18



EN

45276100 001 CAT. TEC.-BLIZZ. 17-18 EN



8 050459 512243



FEEL / FREE

SKI COLLECTION



-
- 06. PISTE / ALL MOUNTAIN
 - 18. RACE
 - 24. ALL MOUNTAIN / FREERIDE
 - 34. TOURING
 - 38. JUNIOR
 - 42. RENTAL

 **BLIZZARD**

PISTE/ALL MOUNTAIN

C O L L E C T I O N




MAKE
YOUR
MARK

BLIZZARD
QUATTRO

PISTE / ALL MOUNTAIN | BLIZZARD SKI 2017/18 | 7




WHEN YOUR MARK IN THE SNOW BECOMES A MOMENT
THAT YOU NEVER FORGET,
A MOMENT THAT KEEPS YOU COMING BACK,
YEARNING FOR MORE.
BLIZZARD QUATTRO IS DESIGNED FOR THAT MOMENT...
YOUR MOMENT.



BLIZZARD QUATTRO CONCEPT

The new Blizzard Quattro skis series has been designed combining four key engineering elements like: iQ, Shape, Rocker and Construction in order to achieve the perfect balance between STABILITY, PRECISION, CONTROL and AGILITY in various combinations in relation to the models we are referring to.



CONSTRUCTION

All Quattro skis are based on Blizzard's full wood core Sandwich Sidewall IQ technology in which key materials are expertly blended to give the ski its desired characteristics of control and **stability**.



IQ SW TI CARBON

BRINGS THE STABILITY AND REBOUND OF THE SKI TO A NEXT LEVEL




IQ SW Ti

SUPER STABLE AND EFFORTLESS SKI AT THE SAME TIME AND AT ALL SPEED



IQ SW Ca

LIGHTNESS AND FORGIVENESS ARE ACHIEVED WITH AN INCREDIBLE LEVEL OF STABILITY AND REBOUND



IQ SYSTEM

The patented Blizzard IQ Technology is the only real fusion between the ski body and the binding interface. This ensures a superior feeling of **precision** and stability for the skiers.

FREE FLEX

INTEGRATED DAMPENING SYSTEM

DIRECT POWER TRASMISSION

LIGHTER SKI BODY

PRESSURE DISTRIBUTION ON ALL THE EDGES




FULL SUSPENSION

THE CARBON FIBER STRUCTURE BUILT INTO THE SKI'S CONSTRUCTION AND CONNECTED TO AN ELASTIC DAMPENING SYSTEM GUARANTEES: LESS VIBRATIONS, A MORE DYNAMIC SKI AND A UNBEATABLE EDGE GRIP.



SUSPENSION

THE POLYAMIDE STRUCTURE BUILT INTO THE SKI'S CONSTRUCTION AND CONNECTED TO AN ELASTIC DAMPENING SYSTEM GUARANTEES: LESS VIBRATIONS, A MORE DYNAMIC SKI, A BETTER EDGE GRIP WITH MORE EFFORTLESS SKIING.



SHAPE

The Blizzard Quattro shape concept is available in different sidecuts, waist widths and model sizes, so skiers can match the skis precision and **agility** to their own technique.

NARROW WAISTED SKI (69-74MM)

- QUICK EDGE TO EDGE
- BEST EDGE GRIP IN ICY SLOPES

WIDER WAISTED SKI (80-84MM)


- STABLE IN ALL SNOW CONDITIONS
- BIGGER LEAN ANGLE

LONGER SKI SIZES (> 170CM)

- RADIUS FROM 14 TO 17M
- GS FEELING

SHORTER SKI SIZES (< 170CM)

- RADIUS FROM 10 TO 13M
- FUN CARVING FEELING



ROCKER

The amount of rocker is a fundamental parameter that influences the agility and **control** behavior of a modern carving ski.

The rocker profile changes by 2mm in each model to match the control needs of the different target users:



FULL CAMBER

FOR SUPERIOR CONTROL ON ICY SLOPES AND FASTER EDGE TO EDGE RESPONSE



2MM ROCKER

FOR BETTER FLOATATION ON UN-GROOMED SLOPES WITH THE CONTROL OF A RACING SKI



4MM ROCKER


FOR BETTER SLIDING CONTROL AND FORGIVING FEELING






BLIZZARD QUATTRO RS
Cod: 8A6045 F5 001

Lengths: 153-160-167-174-181 cm
Sidecut: 116-69-100 mm (174 cm)
Radius: 10; 10,5; 12; 16; 17,5 m
Binding: XCELL14 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium, Carbon




BLIZZARD QUATTRO RX
Cod: 8A6047 F5 001

Lengths: 167-174-181 cm
Sidecut: 129-84-113 mm (174 cm)
Radius: 14,5; 16; 17,5 m
Binding: XCELL14 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium, Carbon




BLIZZARD QUATTRO 6.9 Ti
Cod: 8A6049 E1 001

Lengths: 153-160-167-174-181 cm
Sidecut: 116-69-100 mm (174 cm)
Radius: 10; 10,5; 12; 16; 17,5 m
Binding: XCELL12 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium, Carbon




BLIZZARD QUATTRO 8.4 Ti
Cod: 8A6057 E1 001

Lengths: 167-174-181 cm
Sidecut: 129-84-113 mm (174 cm)
Radius: 14,5; 16; 17,5 m
Binding: XCELL12 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium, Carbon



BLIZZARD QUATTRO 7.4 Ti
Cod: 8A6051 C2 001 Cod: 8A6051 CA 002

Lengths: 150-156-162-168-174-180 cm
Sidecut: 118-74-101 mm (174 cm)
Radius: 11,5; 12,5; 13,5; 14,5; 16; 17,5 m
Binding: TCX12 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium






BLIZZARD QUATTRO 8.0 Ti

Cod: 8A6059 C2 001

Cod: 8A6059 CA 002


Lengths: 156-162-168-174-180 cm
Sidecut: 125-80-108 mm (174 cm)
Radius: 12,5; 13,5; 14,5; 16; 17,5 m
Binding: TCX12 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium



BLIZZARD QUATTRO 7.4 Ca

Cod: 8A6053 B2 001

Lengths: 150-156-162-168-174-180 cm
Sidecut: 118-74-101 mm (174 cm)
Radius: 11,5; 12,5; 13,5; 14,5; 16; 17,5 m
Binding: TP10 DEMO
Construction: Sandwich Compound Sidewall IQ;
Wood




BLIZZARD QUATTRO 8.0 Ca

Cod: 8A6061 C3 001

Cod: 8A6061 B2 001

Lengths: 156-162-168-174-180 cm
Sidecut: 125-80-108 mm (174 cm)
Radius: 12,5; 13,5; 14,5; 16; 17,5 m
Binding: TCX12 DEMO (8A6061 C3 001)
TP10 DEMO (8A6061 B2 001)
Construction: Sandwich Compound Sidewall IQ;
Wood






women to women




ALIGHT 6.9 Ti
Cod: 8A7070 CB 001

Lengths: 153-160-167 cm
Sidecut: 122-69-106 mm (160 cm)
Radius: 10; 10,5; 12 m
Binding: TCX 12 DEMO W
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium, Carbon



ALIGHT 7.4 Ti
Cod: 8A7072 CB 001

Lengths: 144-150-156-162 cm
Sidecut: 117-74-100 mm (162 cm)
Radius: 10,5; 11,5; 12,5; 13,5 m
Binding: TCX 12 DEMO W
Construction: Sandwich Compound Sidewall IQ;
Wood, Titanium






ALIGHT 8.0 Ti

Cod: 8A7074 CB 001


Lengths: 144-150-156-162-168 cm
Sidecut: 124-80-107 mm (162 cm)
Radius: 10,5; 11,5; 12,5; 13,5; 14,5 m
Binding: TCX 12 DEMO W
Construction: Sandwich Compound Sidewall IQ;
 Wood, Titanium



ALIGHT 7.4 Ca

Cod: 8A7078 LB 001


Lengths: 144-150-156-162 cm
Sidecut: 117-74-100 mm (162 cm)
Radius: 10,5; 11,5; 12,5; 13,5 m
Binding: TLX11 DEMO W
Construction: Sandwich Compound Sidewall IQ;
 Light Wood



ALIGHT 8.0 Ca

Cod: 8A7080 LB 001


Lengths: 144-150-156-162-168 cm
Sidecut: 124-80-107 mm (162 cm)
Radius: 10,5; 11,5; 12,5; 13,5; 14,5 m
Binding: TLX11 DEMO W
Construction: Sandwich Compound Sidewall IQ;
 Light Wood



ALIGHT 7.2

Cod: 8A7400 BC 001


Lengths: 146-153-160-167 cm
Sidecut: 119-72-102 mm (160 cm)
Radius: 11; 12; 13; 14 m
Binding: TP 10 DEMO W
Construction: Composite Sidewall IQ



ALIGHT 7.7

Cod: 8A7402 BD 001

Lengths: 146-153-160-167 cm
Sidecut: 121-77-103 mm (160 cm)
Radius: 11; 12; 13; 14 m
Binding: TP 10 DEMO W
Construction: Composite Sidewall IQ



RACE

COLLECTION



Blizzard is pushing back the boundaries with its race collection that has extensive experience in the World Cup. These skis are real "racing cars", engineered to reach unbeatable speeds and make turns with maximum precision, while still being easy to control.



SIDEWALL


The sidewall built into the ski construction provides the following advantages:

- IMPROVED TRANSMISSION OF SKIER'S MOVEMENTS TO EDGE
- CONSTANT PRESSURE ALONG THE ENTIRE LENGTH OF THE SKI
- GREATER STABILITY OF THE ENTIRE STRUCTURE
- IMPECCABLE CONTROL
- MAXIMUM CARVING PERFORMANCE



RACE TIP PROFILE

The tip profile on racing skis is more aggressive and has a softer construction. This guarantees greater ski deformation, for simpler and more instinctive turn initiation.



GS FIS-RACING

Cod: 8A6015 00 001

Lengths: 184-188 cm
Sidecut: 102-65-87 mm (184 cm)
Radius: >25; >27 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium, FIS Racing Construction



FULL CAMBER



GS RACING

Cod: 8A6029 00 001

Lengths: 170-177-184 cm
Sidecut: 103,5-65-88,5 mm (177 cm)
Radius: >17; >23; >25 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium



FULL CAMBER



GS JR RACING

Cod: 8A6033 00 001

Lengths: 135-142-149-156-163-170 cm
Sidecut: 105-65-90 mm (163 cm)
Radius: >14; >14; >14; >17; >17; >17 m
Plate: Junior Racing Plate
Construction: Sandwich Compound Sidewall; Wood, Titanium, Racing Construction



FULL CAMBER



SL FIS-RACING
Cod: 8A7016 00 001

Lengths: 156-165 cm
Sidecut: 116,5-65-101,5 mm (165 cm)
Radius: >13 m; >13 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall, Wood, Titanium, FIS Racing Construction



SL RACING
Cod: 8A6031 00 001

Lengths: 150 cm
Sidecut: 113-65-98 mm (150 cm)
Radius: >12 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall, Wood, Titanium



SL JR RACING
Cod: 8A6035 00 001

Lengths: 122-129-136-143-150 cm
Sidecut: 109-64-94 mm (136 cm)
Radius: >9; >9; >10; >10; >12 m
Plate: Junior Racing Plate
Construction: Sandwich Compound Sidewall, Wood, Titanium, Racing Construction



WRC RACING WC PISTON
Cod: 8A6019 00 001

Lengths: 172-176-182-186 cm
Sidecut: 115-71-100 mm (182 cm)
Radius: 18;19;20;21 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall, Wood, Titanium, Racing Construction



WRC
Cod: 8A6021 F5 001
Cod: 8A6021 E2 001

Lengths: 167-172-176-182 cm
Sidecut: 115-71-99 mm (176 cm)
Radius: 17;18;19;20 m
Binding: XCELL14 DEMO (8A6021 F5 001)
XCELL12 DEMO (8A6021 E2 001)
Construction: Sandwich Compound Sidewall, Wood, Titanium, Racing Construction



SRC RACING WC PISTON
Cod: 8A7020 00 001


Lengths: 156-160-165-170-175 cm
Sidecut: 121-70-106 mm (165 cm)
Radius: 11;12;13;13,5;14 m
Plate: Marker WC Piston® Plate
Construction: Sandwich Compound Sidewall, Wood, Titanium, Racing Construction






SRC
Cod: 8A6023 F5 001
Cod: 8A6023 E2 001

Lengths: 156-160-165-170-175 cm
Sidecut: 121-70-106 mm (165 cm)
Radius: 11;12;13;13,5;14 m
Binding: XCELL14 DEMO (8A6023 F5 001)
XCELL12 DEMO (8A6023 E2 001)
Construction: Sandwich Compound Sidewall,
Wood, Titanium, Racing Construction




RC Ti
Cod: 8A7026 C1 001

Lengths: 148-154-160-166-172-178 cm
Sidecut: 121-71-104 mm (172 cm)
Radius: 11;12;13;13,5;14,5;15,5 m
Binding: TCX12 DEMO
Construction: Sandwich Compound Sidewall,
Wood, Titanium



RC Ca
Cod: 8A7028 B1 001

Lengths: 148-154-160-166-172-178 cm
Sidecut: 121-71-104 mm (172 cm)
Radius: 11; 12; 13; 13,5; 14,5; 15,5 m
Binding: TP10 DEMO
Construction: Sandwich Compound Sidewall,
Wood



Cod: 8A7028 B1 003



Cod: 8A6027 B1 001

FREERIDE

C O L L E C T I O N

FREERIDE TECHNOLOGY | BLIZZARD SKI 2017/18 | 25



FREERIDE


UNISEX

CARBON FLIPCORE D.R.T. (Dynamic Release Technology):
Reduces torsional rigidity in the tip and tail making the ski less demanding and aggressive in softer snow.

Carbon Flipcore D.R.T. Technology:
Specifically shaped layer of titanal that reduces torsional power in the tip and tail and adds control and stability underfoot.
Uni-Directional Carbon in the tip and tail improves longitudinal stability without increasing torsional rigidity.

Waist width concept:

- Rustler 10 from 102 to 104 mm.
- Rustler 11 from 112 to 116mm.
- Spur 124mm.



Shape concept: Progressive wide body style with an aggressive radius (18-19 m a 180 cm). Early rise tail designed to be playful in softer snow.

Rocker concept: increase amount of tip and tail rocker to ensure ideal flotation at all speeds. Camber underfoot to provide control on compact snow.

Women's Models: Carbon Flipcore D.R.T Technology is used with a specifically designed lighter core construction to deliver the performance and playfulness that women are looking for in a freeride ski.

The new Blizzard freeride collection is specifically designed to deliver everything all-mountain and freeride skiers are looking for.

For this reason, the range is split into 2 categories:

FREERIDE

For high to intermediate level skiers with a more progressive attitude. Skiing all over the mountain but mainly in softer snow. Made for skiers that are looking for high performance skis with a lighter, softer and more playful character.


ALL MOUNTAIN FREERIDE

For higher level skiers with a more hard-charging character. Skiing all over the mountain and in all snow types. The best skis for the best skiers on the mountain.

**ALL MOUNTAIN FREERIDE****UNISEX**

Design, construction and sidecut make this the perfect collection for the allmountain/freeride category.

Construction: Carbon Flipcore with double Titanal® construction for the perfect pressure distribution, flotation and stability. Bi-Directional carbon tip and tail reduce weight, vibration and inertia, improving precision on the snow.



Shape concept: traditional wide front side ski with increased carving character. (17-18m @180cm) aggressive tip shovel with traditional flat tail to improve stability and ensure flotation.


Waist width concept: 88-98-108 mm specifically designed for the needs of the modern all mountain/freeride skier.

Rocker concept: reduced rocker in tip and tail to increase the carving character on piste and flotation off piste.

**ALL MOUNTAIN FREERIDE****WOMAN**

Carbon Flipcore W.S.D. (Woman Specific Design) offers the perfect blend of lightweight and performance.

Construction: WSD reduces weight without sacrificing performance. Uni-Directional carbon layer integrated into a light sandwich construction to ensure lightness, stability, smooth flex and torsional rigidity.



W.S.D. Shape concept: traditional wide frontside sidecut with effortless radius(14-15m @166cm). Forward mounting position for an easy turn initiation.


W.S.D. waist width concept: 78-88-98 mm. Dedicated W.S.D. waist width improves performance on front and backside.

W.S.D. rocker profile: specifically designed to provide forgiveness on frontside and flotation on backside.



SPUR
Cod: 8A7110 00 001

Lengths: 192 cm
Sidecut: 150-124-140 mm
Radius: 26/30 m
Weight: 2250g +/- 50g (192 cm)
Construction: Sandwich Compound Sidewall;
ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore,
D.R.T. Tech.



RUSTLER 11
Cod: 8A7112 00 001

Lengths: 164-172-180-188-192 cm
Sidecut: 142-114-132 mm (188 cm)
Radius: 16; 17,5; 19; 21; 23 m
Weight: 1950g +/- 50g (180 cm)
Construction: Sandwich Compound Sidewall;
ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore,
D.R.T. Tech.



RUSTLER 10
Cod: 8A7114 00 001

Lengths: 164-172-180-188 cm
Sidecut: 133-102-122,5 mm (180 cm)
Radius: 14,5; 16; 17,5; 19 m
Weight: 1850g +/- 50g (180 cm)
Construction: Sandwich Compound Sidewall;
ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore,
D.R.T. Tech.



SHEEVA 11
Cod: 8A7130 00 001

Lengths: 164-172-180 cm
Sidecut: 139-112-129 mm (172 cm)
Radius: 16; 17,5; 19 m
Weight: 1850g +/- 50g (172 cm)
Construction: Sandwich Compound Sidewall;
ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore,
D.R.T. Tech.



SHEEVA 10
Cod: 8A7132 00 001

Lengths: 156-164-172 cm
Sidecut: 131,5-102-121,5 mm (164 cm)
Radius: 13; 14,5; 16 m
Weight: 1620g +/- 50g (164 cm)
Construction: Sandwich Compound Sidewall;
ISO-Pauwlonia-Balsa-Poplar-Beech Woodcore,
D.R.T. Tech.






BODACIOUS

Cod: 8A7090 00 001

Lengths: 186-196 cm
Sidecut: 142-118-132 mm (186 cm)
Radius: 30,5; 31 m
Weight: 2510g +/- 50g (186 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Flipcore Tech.



COCHISE

Cod: 8A7092 00 001

Lengths: 171-178-185-192 cm
Sidecut: 136-108-122 mm (185 cm)
Radius: 23; 25; 27; 29 m
Weight: 2330g +/- 50g (185 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon Flipcore Tech.



BONAFIDE

Cod: 8A7094 00 001


Lengths: 166-173-180-187 cm
Sidecut: 135-98-119 mm (180 cm)
Radius: 15; 16,5; 18; 20 m
Weight: 2160g +/- 50g (180 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon Flipcore Tech.



BRAHMA

Cod: 8A7096 00 001

Lengths: 166-173-180-187 cm
Sidecut: 127-88-111 mm (180 cm)
Radius: 14; 15,5; 17; 19 m
Weight: 2000g +/- 50g (180 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Double Ti, Carbon Flipcore Tech.



BRAHMA Ca

Cod: 8A7098 00 001

Lengths: 166-173-180-187 cm
Sidecut: 127-88-111 mm (180 cm)
Radius: 14; 15,5; 17; 19 m
Weight: 1670g +/- 50g (180 cm)
Construction: Sandwich Compound Sidewall; Poplar-Beech Woodcore, Carbon Flipcore Tech.





BLACK PEARL 98
Cod: 8A7134 00 001

Lengths: 152-159-166-173 cm
Sidecut: 135-98-119 mm (166 cm)
Radius: 13; 14; 15; 16,5 m
Weight: 1650g +/- 50g (166 cm)
Construction: Sandwich Compound Sidewall;
Carbon Flipcore W.S.D. Technology




BLACK PEARL 88
Cod: 8A7136 00 001

Lengths: 152-159-166-173 cm
Sidecut: 126-88-110 mm (159 cm)
Radius: 12; 13; 14; 15,5 m
Weight: 1450g +/- 50g (159 cm)
Construction: Sandwich Compound Sidewall;
Carbon Flipcore W.S.D. Technology



BLACK PEARL 78
Cod: 8A7138 00 001

Lengths: 151-156-163-170 cm
Sidecut: 115-78-100 mm (156 cm)
Radius: 13; 15; 16; 17 m
Weight: 1240g +/- 50g (151 cm)
Construction: Sandwich Compound Sidewall;
Carbon Flipcore W.S.D. Technology



FEEL / FREE

TOURING


C O L L E C T I O N



CARBON DRIVE

This technology is the integration of a carbon structure with an ultra-lightweight construction. Its special 3D geometry guarantees optimal flexional and torsional rigidity.

The result is a level of stability and control unprecedented in the world of ski mountaineering.



POMOCA TECH

Blizzard skins with Pomoca tech. Lightest ski+skin package in the market.




VELVET: RACE PRO
MEMBRANE: SAFER SKIN LIGHT
GLUE: POMOCA FORMULA
TIP FIXATION: UNIVERSAL STEEL WIRE
TAIL FIXATION: UNIVERSAL TAIL CLIP

		157	164	171	178	185	192
ZERO G 108	For the skier who doesn't follow tracks, they create their own.	-	-	1550 (+-50g)	1650 (+-50g)	1750 (+-50g)	1850 (+-50g)
ZERO G 95	For the skier who loves to go up as much as they love to go down.	-	1070 (+-50g)	1190 (+-50g)	1280 (+-50g)	1350 (+-50g)	
ZERO G 85	Individuals looking for the lightest alpine touring ski over 80mm in the waist.	945 (+-50g)	1050 (+-50g)	1100 (+-50g)	1175 (+-50g)	1270 (+-50g)	
ZERO G 85 W	For the female skier looking for the lightest alpine touring ski over 80mm in the waist.	945 (+-50g)	1050 (+-50g)	1100 (+-50g)	1175 (+-50g)	1270 (+-50g)	




ZERO G 108
Cod: 8A6145 00 001

Lengths: 171-178-185-192 cm
Sidecut: 136-108-122 mm (185 cm)
Radius: 23; 25; 27; 29 m
Weight: 1550g +/- 50g (171 cm); 0,80g/cm2
Construction: Sandwich Compound Sidewall; Carbon Drive Technology



ZERO G 95
Cod: 8A6147 00 001

Lengths: 164-171-178-185 cm
Sidecut: 128-95-111,5 mm (178 cm)
Radius: 18; 20; 21; 22 m
Weight: 1190g +/- 50g (171 cm); 0,68g/cm2
Construction: Sandwich Compound Sidewall; Carbon Drive Technology





ZERO G 85

Cod: 8A6149 00 001

Lengths: 157-164-171-178-185 cm
Sidecut: 116-85-99,5 mm (171 cm)
Radius: 16; 18; 19; 20; 22 m
Weight: 1050g +/- 50g (164 cm); 0,69g/cm²
Construction: Sandwich Compound Sidewall;
Carbon Drive Technology



ZERO G 85

Cod: 8A6151 00 001


Lengths: 157-164-171-178-185 cm
Sidecut: 116-85-99,5 mm (171 cm)
Radius: 16; 18; 19; 20; 22 m
Weight: 1050g +/- 50g (164 cm); 0,69g/cm²
Construction: Sandwich Compound Sidewall;
Carbon Drive Technology



ZERO G RACE

Cod: 8A6153 00 001

Lengths: 161 cm
Sidecut: 98-65-78 mm (161 cm)
Radius: 24 m
Weight: 685g +/- 30g
Construction: Sandwich Compound Carbon
Drive Technology



JUNIOR

COLLECTION

JUNIOR | BLIZZARD SKI 2017/18 | 39



IQ JUNIOR

IQ Junior is the ultimate junior ski technology. Many young skiers have trouble flexing their skis because the bindings screwed onto the skis create a flat, stiff spot, making it hard to find the right line when preparing for a turn.

The IQ system, with its track system, lets the binding slide inside the ski without the need for screws, maintaining an incredibly well-balanced flex to make it easy to set up the next turn while offering great grip on hard-packed snow.



RC JR

Cod: 8A7162 MA 001

Lengths: 130-140-150-160 cm
Sidecut: 113-70-99 mm (140 cm)
Radius: 11; 12; 13; 14 m
Binding: FDT JR 7
Construction: Composite Sidewall



RC IQ JR

Cod: 8A6165 H2 001 (70-150 cm)
 Cod: 8A6167 H1 001 (130-150 cm)

Lengths:
 70-80-90-100-110-120-130-140-150 cm (8A6165 H2 001)
 130-140-150 cm (8A6167 H1 001)
Sidecut: 105-68-93 mm (110) (8A6165 H2 001)
 107-68-95 mm (140) (8A6167 H1 001)
Radius: 3; 4; 5; 6; 7; 8; 9; 11; 13 m (8A6165 H2 001)
 9; 11; 13 m (8A6167 H1 001)
Binding: IQ-4.5 (8A6165 H2 001)
 IQ-7 (8A6167 H1 001)
Construction: Composite IQ





COCHISE IQ JR

Cod: 8A7168 H2 001 (70-150 cm)
Cod: 8A7170 H1 001 (130-150 cm)

Lengths:
70-80-90-100-110-120-130-140-150 cm (8A7168 H2 001)
130-140-150 cm (8A7170 H1 001)
Sidecut: 105-68-93 mm (110) (8A7168 H2 001)
107-68-95 mm (140) (8A7170 H1 001)
Radius: 3; 4; 5; 6; 7; 8; 9; 11; 13 m (8A7168 H2 001)
9; 11; 13 m (8A7170 H1 001)
Binding: IQ-4.5 (8A7168 H2 001)
IQ-7 (8A7170 H1 001)
Construction: Composite IQ



SHEEVA IQ JR

Cod: 8A6173 H2 001 (70-150 cm)
Cod: 8A6175 H1 001 (130-150 cm)


Lengths:
70-80-90-100-110-120-130-140-150 cm (8A6173 H2 001)
130-140-150 cm (8A6175 H1 001)
Sidecut: 105-68-93 mm (110 cm) (8A6173 H2 001)
107-68-95 mm (140 cm) (8A6175 H1 001)
Radius: 3; 4; 5; 6; 7; 8; 9; 11; 13 m (8A6173 H2 001)
9; 11; 13 m (8A6175 H1 001)
Binding: IQ-4.5 (8A6173 H2 001)
IQ-7 (8A6175 H1 001)
Construction: Composite IQ



COCHISE TEAM

Cod: 8A7100 00 001

Lengths: 140-150-160 cm
Sidecut: 125-95-111 mm
Radius: 13,5; 15; 16,5 m
Construction: Sandwich Compound Sidewall;
Poplar-Beech Woodcore
Weight: 1,290g +/- 50g (150 cm)



RUSTLER IQ JR

Cod: 8A7176 H2 001 (99-139 cm)
Cod: 8A7178 H1 001 (119-139 cm)

Lengths:
99-109-119-129-139 cm (8A7176 H2 001)
119-129-139 cm (8A7178 H1 001)
Sidecut: 102-70-90 mm (109 cm) (8A7176 H2 001)
104-70-92 mm (129 cm) (8A7178 H1 001)
Radius: 6; 7; 8; 9; 11 m (8A7176 H2 001)
8; 9; 11 m (8A7178 H1 001)
Binding: IQ-4.5 (8A7176 H2 001)
IQ-7 (8A7178 H1 001)
Construction: composite IQ



RENTAL

C O L L E C T I O N



RENTAL READY: **DURA-TEC**

DURABILITY FEATURES

1. TOP FOIL

TPU 20% THICKER THAN THE MARKET STANDARD WITH A TEXTURE SURFACE. THIS MATERIAL PROTECTS THE SKI FROM SCRATCHES AND SHOCKS.

2. TOP EDGE ROUND CORNER

MAXIMUM RADIUS ON UPPER EDGE TO PREVENT SCRATCHES AND CHIPPING.

3. SINTERED BASE

MORE RESISTANT AND FASTER SLIDING BASE.

4. FULL COVER TIP PROTECTOR

TIP PROTECTOR TO SAFEGUARD THE SKI BY HITS.

5. STABLE TAIL PROTECTOR

TAIL PROTECTOR DESIGNED WITH HIGHEST SHOCK RESISTANCE.

IQ SHORTER AND PROTECTED

SHORTER IQ RAIL IN ORDER TO AVOID DAMEGES BY IMPACTS WITH THE EDGES.

ADJUSTABILITYY FEATURES

FDT PLATE IN ALL RANGE

PLATE SPECIFIC DESIGNED TO SUPPORT THE RENTAL SHOP. EASIER, RELIABLER, FASTER.

Blizzard rental collection is based on two different pillars:

RENTAL READY

READY FOR DEMO AND RENTING.
PREMIUM LEVEL OF DURABILITY
AT EACH PRICE.
PREMIUM LEVEL OF ADJUSTABILITY.
NEVER SACRIFICE THE PERFORMANCE.

TECHNOLOGY: **DURA TEC**

PURE RENTAL

DEDICATED RENTAL COLLECTION.
DEDICATED FEATURES FOR RENTAL.
DEDICATED PRODUCT FOR RENTAL.

TECHNOLOGY: **RENTAL TEC**



PURE RENTAL: **RENTAL TEC**

DURABILITY FEATURES

Rental Tec holds the Dura Tec technology and add new extra features.

1. TOP FOIL 0,7 MM

EVEN MORE STRUCTURED THAN NORMAL TOP FOIL. KNOPPE STRUCTURE.

2. OVERSIZE STEELEDGES

EDGE 30% LARGER IN ORDER TO IMPROVE THE DURABILITY AND THE RESISTANCE.

3. BRIGHT COLORS

DESIGN WITH LIGHT COLORS TO REDUCE FOCUS ON SCRATCHES.

ADJUSTABILITY FEATURES

4. BLIZZARD COLOR CODING

EACH TECNICA RENTAL BOOTS SIZE IS IDENTIFIED BY A COLOR. THOSE COLORS ARE COORDINATED WITH COLORED SIZES IN THE BLIZZARD RENTAL PLATES. COMBINE THE SAME BOOT AND PLATE SCALE COLOR TO HAVE A FAST AND SAFE BINDING ADJUSTMENT.

5. SIZE NUMBER WELL VISIBLE

WELL VISIBLE SIZE IN ALL WORKING CONDITION.

6. BARCODE STICKER PROTECTED


DEDICATED SLOT TO HOST THE BAR CODE STICKER.

7. INTUITIVE BINDING ADJUSTABILITY

LONGITUDINAL DIN SETTING SCREWS AND READABLE DIN.

LENGTHS: BIG RANGE OFFER


BIG SKI LENGTHS RANGE TO SATISFY ALL THE CUSTOMER NEEDS.



1



2



3

5



7

4

6

7

**XCR**

Cod: 8A7312 DA 001

Lengths: 139-146-153-160-167-174 cm
Sidecut: 123-77-105 mm (167 cm)
Radius: 10; 11; 12; 13; 14; 15 m
Binding: TLT10 DEMO
Construction: Composite Sidewall, Wood

**WCR**

Cod: 8A7314 DA 001

Lengths: 139-146-153-160-167-174 cm
Sidecut: 121-72-103 mm (167 cm)
Radius: 10; 11; 12; 13; 14; 15 m
Binding: TLT10 DEMO
Construction: Composite Sidewall, Wood

**WSC**

Cod: 8A7316 DA 001

Lengths: 139-146-153-160-167-174 cm
Sidecut: 121-72-104 mm (167 cm)
Radius: 10; 11; 12; 13; 14; 15 m
Binding: TLT10 DEMO
Construction: Composite Sidewall, Wood






RTX RACE

Cod: 8A7324 DA 001

Lengths: 139-146-153-160-167-174 cm
Sidecut: 114-74-102 mm (160 cm)
Radius: 12; 13; 14,5; 15; 16,5; 18 m
Binding: TLT10 DEMO
Construction: Composite




RTX POWER

Cod: 8A7326 DA 001

Cod: 8A7326 DA 002

Lengths: 139-146-153-160-167-174 cm
Sidecut: 114-74-102 mm (160 cm)
Radius: 12; 13; 14,5; 15; 16,5; 18 m
Binding: TLT10 DEMO
Construction: Composite



ELEVATE 7.7

Cod: 8A7318 DB 001

Lengths: 139-146-153-160-167 cm
Sidecut: 121-77-103 mm (160 cm)
Radius: 10; 11; 12; 13; 14 m
Binding: TLT10 DEMO W
Construction: Composite Sidewall, Wood



ELEVATE 7.2

Cod: 8A7320 DB 001

Lengths: 139-146-153-160-167 cm
Sidecut: 119-72-102 mm (160 cm)
Radius: 10; 11; 12; 13; 14 m
Binding: TLT10 DEMO W
Construction: Composite Sidewall, Wood



RTX ELEVATE

Cod: 8A7328 DC 001

Lengths: 139-146-153-160-167 cm
Sidecut: 114-74-102 mm (160 cm)
Radius: 12; 13; 14,5; 15; 16,5 m
Binding: TLT 10 DEMO W
Construction: Composite






BRAHMA Ca SP

Cod: 8A7300 IB 001
Cod: 8A7304 00 001 (FLAT)


Lengths: 145-152-159-166-173-180-187 cm
Sidecut: 127-88-111 mm (180 cm)
Radius: 11; 12; 13; 14; 15,5; 17; 19 m
Binding: TCX11 DEMO-90
Construction: Sandwich Compound Sidewall;
Poplar-Beech Woodcore, Carbon Flipcore



BLACK PEARL 88 SP

Cod: 8A7306 IB 001
Cod: 8A7308 00 001 (FLAT)


Lengths: 145-152-159-166-173 cm
Sidecut: 127-88-111 mm (180 cm)
Radius: 11; 12; 13; 14; 15,5 m
Binding: TCX11 DEMO-90
Construction: Sandwich Compound Sidewall;
Carbon Flipcore W.S.D. Technology



RAWHIDE ADJ

Cod: 8A7310 IB 001
Cod: 8A7311 00 001 (FLAT)

Lengths: 146-154-162-170-178 cm
Sidecut: 128-82-112 mm (170 cm)
Radius: 11; 12; 13,5; 15,5; 17m
Binding: TCX11 DEMO-90
Construction: Composite Sidewall; Wood



Cod: 8A7310 IB 002



RTX JR

Cod: 8A7330 MB 001 (XS) Cod: 8A7330 MB 002 (XS)
Cod: 8A7332 MB 001 (S) Cod: 8A7332 MB 002 (S)
Cod: 8A7334 MA 001 (L) Cod: 8A7334 MA 002 (L)

Lengths: 70-80-90 cm (XS)
100-110-120 cm (S)
130-140 cm (L)
Sidecut: 102-67-89 mm (80 cm)
104-67-93 mm (110 cm)
106-67-95 mm (130 cm)
Radius: 3; 4; 5 m (XS)
6; 7; 8 m (S)
10; 12 m (L)
Binding: FDT JR 4.5 (XS-S)
FDT JR 7.5 (L)
Construction: Composite



ELEVATE JR

Cod: 8A7336 MB 001 (XS) Cod: 8A7336 MB 002 (XS)
Cod: 8A7338 MB 001 (S) Cod: 8A7338 MB 002 (S)
Cod: 8A7340 MA 001 (L) Cod: 8A7340 MA 002 (L)

Lengths: 70-80-90 cm (XS)
100-110-120 cm (S)
130-140 cm (L)
Sidecut: 102-67-89 mm (80 cm)
104-67-93 mm (110 cm)
106-67-95 mm (130 cm)
Radius: 3; 4; 5 m (XS)
6; 7; 8 m (S)
10; 12 m (L)
Binding: FDT JR 4.5 (XS-S)
FDT JR 7.5 (L)
Construction: Composite



CAMBER ROCKER PROFILE



FULL CAMBER



The full camber ski profile guarantees perfect pressure distribution from tip to tail, maximizing edge grip throughout the arc of the turn.



ROCKER CAMBER ROCKER



Ski profile with a rocker at the tip and tail, camber in the middle. Reducing the pressure on the edge at the tip and tail makes the ski even easier to handle and increases floatation on powder snow. The camber guarantees great grip on packed snow in any case.



ROCKER FLAT ROCKER



Ski profile with noticeable rocker at the tip and tail, flat in the middle. The noticeable curvature of the tip and tail favours optimal floatation in backcountry terrain. The flat profile in the middle guarantees stability on harder snow.





RACE

FIS RACE



GS FIS-RACING

Cod: 8A6015 00 001

Plate: Marker WC Piston® Plate

Lengths: 184-188 cm



SL FIS-RACING

Cod: 8A7016 00 001

Plate: Marker WC Piston® Plate

Lengths: 156-165 cm



GS RACING

Cod: 8A6029 00 001

Plate: Marker WC Piston® Plate

Lengths: 170-177-184 cm



SL RACING

Cod: 8A6031 00 001

Plate: Marker WC Piston® Plate

Lengths: 150 cm



GS JR-RACING

Cod: 8A6033 00 001

Plate: Junior Race Plate

Lengths: 135-142-149-156-163-170 cm



SL JR-RACING

Cod: 8A6035 00 001

Plate: Junior Race Plate

Lengths: 122-129-136-143-150 cm



RACE



WRC RACING WC-PISTON

Cod: 8A6019 00 001

Plate: Marker WC Piston® Plate

Lengths: 172-176-182-186 cm



SRC RACING WC-PISTON

Cod: 8A7020 00 001

Plate: Marker WC Piston® Plate

Lengths: 156-160-165-170-175 cm



WRC

Binding: XCELL14 DEMO

Cod: 8A6021 F5 001

Binding: XCELL12 DEMO

Cod: 8A6021 E2 001

Lengths: 167-172-176-182 cm



SRC

Binding: XCELL14 DEMO

Cod: 8A6023 F5 001

Binding: XCELL12 DEMO

Cod: 8A6023 E2 001

Lengths: 156-160-165-170-175 cm



RC Ti

Binding: TCX12 DEMO

Cod: 8A7026 C1 001

Lengths: 148-154-160-166-172-178 cm



RC Ca

Binding: TP10 DEMO

Cod: 8A7028 B1 001

Lengths: 148-154-160-166-172-178 cm



RC Ca

Binding: TP10 DEMO

Cod: 8A6027 B1 001

Lengths: 148-154-160-166-172-178 cm



RC Ca

Binding: TP10 DEMO

Cod: 8A7028 B1 003

Lengths: 148-154-160-166-172-178 cm



PISTE/ALL MOUNTAIN



BLIZZARD QUATTRO RS

Cod: 8A6045 F5 001

Binding: XCELL 14 DEMO

Lengths: 153-160-167-174-181 cm



BLIZZARD QUATTRO RX

Cod: 8A6047 F5 001

Binding: XCELL 14 DEMO

Lengths: 167-174-181 cm



BLIZZARD QUATTRO 6.9 Ti

Cod: 8A6049 E1 001

Binding: XCELL 12 DEMO

Lengths: 153-160-167-174-181 cm



BLIZZARD QUATTRO 8.4 Ti

Cod: 8A6057 E1 001

Binding: XCELL 12 DEMO

Lengths: 167-174-181 cm



BLIZZARD QUATTRO 7.4 Ti

Cod: 8A6051 C2 001

Binding: TCX 12 DEMO

Lengths: 150-156-162-168-174-180 cm



BLIZZARD QUATTRO 7.4 Ti

Cod: 8A6051 CA 002

Binding: TCX 12 DEMO

Lengths: 150-156-162-168-174-180 cm



BLIZZARD QUATTRO 8.0 Ti

Cod: 8A6059 C2 001

Binding: TCX 12 DEMO

Lengths: 156-162-168-174-180 cm



BLIZZARD QUATTRO 8.0 Ti

Cod: 8A6059 CA 002

Binding: TCX 12 DEMO

Lengths: 156-162-168-174-180 cm



BLIZZARD QUATTRO 7.4 Ca

Cod: 8A6053 B2 001

Binding: TP 10 DEMO

Lengths: 150-156-162-168-174-180 cm



BLIZZARD QUATTRO 8.0 Ca

Cod: 8A6061 C3 001

Binding: TCX 12 DEMO

Cod: 8A6061 B2 001

Lengths: 156-162-168-174-180 cm



ALIGHT 6.9 Ti

Cod: 8A7070 CB 001

Binding: TCX 12 DEMO W

Lengths: 153-160-167 cm



ALIGHT 7.4 Ti

Cod: 8A7072 CB 001

Binding: TCX 12 DEMO W

Lengths: 144-150-156-162 cm



ALIGHT 8.0 Ti

Cod: 8A7074 CB 001

Binding: TCX 12 DEMO W

Lengths: 144-150-156-162-168 cm



ALIGHT 7.4 Ca

Cod: 8A7078 LB 001

Binding: TLX 11 DEMO W

Lengths: 144-150-156-162 cm



ALIGHT 8.0 Ca

Cod: 8A7080 LB 001

Binding: TLX 11 DEMO W

Lengths: 144-150-156-162-168 cm



ALIGHT 7.2

Cod: 8A7400 BC 001

Binding: TP10 DEMO W

Lengths: 146-153-160-167 cm



ALIGHT 7.7

Cod: 8A7402 BD 001

Binding: TP10 DEMO W

Lengths: 146-153-160-167 cm



FREERIDE

ALL MOUNTAIN FREERIDE



BODACIOUS Cod: 8A7090 00 001
Binding: Flat Lengths: 186-196 cm



BONAFIDE Cod: 8A7094 00 001
Binding: Flat Lengths: 166-173-180-187 cm



BRAHMA Ca Cod: 8A7098 00 001
Binding: Flat Lengths: 166-173-180-187 cm



COCHISE Cod: 8A7092 00 001
Binding: Flat Lengths: 171-178-185-192 cm



BRAHMA Cod: 8A7096 00 001
Binding: Flat Lengths: 166-173-180-187 cm

FREERIDE



SPUR Cod: 8A7110 00 001
Binding: Flat Lengths: 192 cm



RUSTLER 11 Cod: 8A7112 00 001
Binding: Flat Lengths: 164-172-180-188-192 cm



RUSTLER 10 Cod: 8A7114 00 001
Binding: Flat Lengths: 164-172-180-188 cm



ALL MOUNTAIN FREERIDE



BLACK PEARL 98 Cod: 8A7134 00 001
Binding: Flat Lengths: 152-159-166-173 cm



BLACK PEARL 78 Cod: 8A7138 00 001
Binding: Flat Lengths: 151-156-163-170 cm



BLACK PEARL 88 Cod: 8A7136 00 001
Binding: Flat Lengths: 152-159-166-173 cm



FREERIDE



SHEEVA 11 Cod: 8A7130 00 001
Binding: Flat Lengths: 164-172-180 cm



SHEEVA 10 Cod: 8A7132 00 001
Binding: Flat Lengths: 156-164-172 cm



TOURING



ZERO G 108 Cod: 8A6145 00 001
Binding: Flat Lengths: 171-178-185-192 cm



ZERO G 85 Cod: 8A6149 00 001
Binding: Flat Lengths: 157-164-171-178-185 cm



ZERO G RACE Cod: 8A6153 00 001
Binding: Flat Lengths: 161 cm



ZERO G 95 Cod: 8A6147 00 001
Binding: Flat Lengths: 164-171-178-185 cm



ZERO G 85 Cod: 8A6151 00 001
Binding: Flat Lengths: 157-164-171-178-185 cm



JUNIOR


PISTE / ALL MOUNTAIN



RC JR Cod: 8A7162 MA 001
Plate: FDT JR7 Lengths: 130-140-150-160 cm



RC IQ JR (70-150) Cod: 8A6165 H2 001
Binding: IQ-4.5 Lengths: 070-080-090-100-110-120-130-140-150 cm



RC IQ JR (130-150) Cod: 8A6167 H1 001
Binding: IQ-7 Lengths: 130-140-150 cm




SHEEVA IQ JR (70-150) Cod: 8A6173 H2 001
Binding: IQ-4.5 Lengths: 070-080-090-100-110-120-130-140-150 cm

SHEEVA IQ JR (130-150) Cod: 8A6175 H1 001
Binding: IQ-7 Lengths: 130-140-150 cm



COCHISE IQ JR (70-150) Cod: 8A7168 H2 001
Binding: IQ-4.5 Lengths: 070-080-090-100-110-120-130-140-150 cm



COCHISE IQ JR (130-150) Cod: 8A7170 H1 001
Binding: IQ-7 Lengths: 130-140-150 cm

FREERIDE



COCHISE TEAM Cod: 8A7100 00 001
Binding: Flat Lengths: 140-150-160 cm



RUSTLER IQ JR (99-139) Cod: 8A7176 H2 001
Binding: IQ-4.5 Lengths: 099-109-119-129-139 cm

RUSTLER IQ JR (119-139) Cod: 8A7178 H1 001
Binding: IQ-7 Lengths: 119-129-139 cm



RENTAL

F R E E R I D E



BRAHMA Ca SP
Lengths: 145-152-159-166-173-180-187 cm
Binding: TCX11 DEMO-90
Cod: 8A7300 IB 001
Binding: Flat
Cod: 8A7304 00 001



RAWHIDE Adj
Lengths: 146-154-162-170-178 cm
Binding: TCX11 DEMO-90
Cod: 8A7310 IB 001
Binding: Flat
Cod: 8A7311 00 001



BLACK PEARL 88 SP
Lengths: 145-152-159-166-173 cm
Binding: TCX11 DEMO-90
Cod: 8A7306 IB 001
Binding: Flat
Cod: 8A7308 00 001



RAWHIDE Adj
Lengths: 146-154-162-170-178 cm
Binding: TCX11 DEMO-90
Cod: 8A7310 IB 002



ELEVATE 7.7
Cod: 8A7318 DB 001
Binding: TLT10 DEMO W
Lengths: 139-146-153-160-167 cm



RTX ELEVATE
Cod: 8A7328 DC 001
Binding: TLT10 DEMO W
Lengths: 139-146-153-160-167 cm



ELEVATE 7.2
Cod: 8A7320 DB 001
Binding: TLT10 DEMO W
Lengths: 139-146-153-160-167 cm

P I S T E / A L L M O U N T A I N



XCR
Cod: 8A7312 DA 001
Binding: TLT10 DEMO
Lengths: 139-146-153-160-167-174 cm



WSC
Cod: 8A7316 DA 001
Binding: TLT10 DEMO
Lunghezza: 139-146-153-160-167-174 cm



RTX POWER
Cod: 8A7326 DA 001
Binding: TLT10 DEMO
Lengths: 139-146-153-160-167-174 cm



WCR
Cod: 8A7314 DA 001
Binding: TLT10 DEMO
Lengths: 139-146-153-160-167-174 cm



RTX RACE
Cod: 8A7324 DA 001
Binding: TLT10 DEMO
Lengths: 139-146-153-160-167-174 cm



RTX POWER
Cod: 8A7326 DA 002
Binding: TLT10 DEMO
Lengths: 139-146-153-160-167-174 cm



RTX JR XS
Binding: FDT JR 4.5
Cod: 8A7330 MB 001
Lengths: 70-80-90 cm
RTX JR S
Binding: FDT JR 4.5
Cod: 8A7332 MB 001
Lengths: 100-110-120 cm
RTX JR L
Binding: FDT JR 7
Cod: 8A7334 MA 001
Lengths: 130-140 cm



ELEVATE JR XS
Binding: FDT JR 4.5
Cod: 8A7336 MB 001
Lengths: 70-80-90 cm
ELEVATE JR S
Binding: FDT JR 4.5
Cod: 8A7338 MB 001
Lengths: 100-110-120 cm
ELEVATE JR L
Binding: FDT JR 7
Cod: 8A7340 MA 001
Lengths: 130-140 cm



RTX JR XS
Binding: FDT JR 4.5
Cod: 8A7330 MB 002
Lengths: 70-80-90 cm
RTX JR S
Binding: FDT JR 4.5
Cod: 8A7332 MB 002
Lengths: 100-110-120 cm
RTX JR L
Binding: FDT JR 7
Cod: 8A7334 MA 002
Lengths: 130-140 cm



A full-page background image showing two skiers in bright red ski suits. The skier on the left is in the foreground, wearing a black helmet, colorful goggles, and a patterned neck gaiter. They are holding a red ski with a black lightning bolt logo. The skier on the right is slightly behind and to the side, also in red gear. The background is a snowy, rocky mountain slope.

ACCESSORIES

64. BINDINGS

66. MERCHANDISE

68. BAGS

70. ACCESSORIES

MARKER INLINE RACE



RACE XCELL 24
Cod: 8C5028 00 001
RACE XCELL 18
Cod: 8C5030 00 001
RACE XCELL 16
Cod: 8C5032 00 001
RACE XCELL 12
Cod: 8C4029 00 001



RACE 10
Cod: 8C5034 00 001
RACE 8
Cod: 8C5036 00 001



RACE 10 TCX
Cod: 8C7036 00 001



FREE TEN
Cod: 8C7050 00 001



MARKER KING PIN 10 100 mm
Cod: 8C5050 00 001
MARKER KING PIN 10 DEMO 100 mm
Cod: 8C5052 00 001
MARKER KING PIN 13 100 mm
Cod: 8C5054 00 001
MARKER KING PIN 13 125 mm
Cod: 8C5056 00 001



DIN ADAPTER AT BOOT (2 pcs.)
Cod: 8B5050 00 001

MARKER INLINE



MARKER DUKE EPF 16 L 305-365 - 110 mm
Cod: 8C4030 00 001
MARKER DUKE EPF 16 S 265-325 - 110 mm
Cod: 8C4032 00 001



MARKER BARON 13 L 305-365 - 110 mm
Cod: 8C5042 00 001
MARKER BARON 13 S 265-325 - 110 mm
Cod: 8C5044 00 001



MARKER JESTER 16 110 mm
Cod: 8C6031 00 001
MARKER JESTER 16 DEMO 110 mm
Cod: 8C4044 00 001



SKIN ZERO G 85 L (178-185)
Cod: 8B5010 00 001
SKIN ZERO G 85 S (157-171)
Cod: 8B5012 00 001
SKIN ZERO G 95 L (178-185)
Cod: 8B5012 00 001
SKIN ZERO G 95 S (164-171)
Cod: 8B5016 00 001
SKIN UP TILL 125MM
Cod: 8B5018 00 001



CRAMPON KING PIN 85 mm
Cod: 8B5040 00 001
CRAMPON KING PIN 100 mm
Cod: 8B5042 00 001
CRAMPON KING PIN 125mm
Cod: 8B5044 00 001




MARKER GRIFFON 13 110 mm
Cod: 8C6033 00 001
MARKER GRIFFON 13 DEMO 110 mm
Cod: 8C6039 00 001



MARKER SQUIRE 11 90 mm
Cod: 8C7032 00 001
MARKER SQUIRE 11 DEMO 90 mm
Cod: 8C6041 00 001



MARKER TOUR F12 EPF S 265-325 - 110 mm
Cod: 8C7040 00 001
MARKER TOUR F12 EPF L 305-365 - 110 mm
Cod: 8C7042 00 001
MARKER TOUR F10 EPF S 265-325 - 110 mm
Cod: 8C6047 00 001
MARKER TOUR F10 EPF L 305-365 - 110 mm
Cod: 8C6049 00 001



BRAKE ROYAL 136 mm
Cod: 839248 00 001
BRAKE ROYAL TOUR 110 mm
Cod: 839249 00 001
BRAKE UNIVERSAL ROYAL TOUR 90 mm
Cod: 83925 00 001
BRAKE KING PIN 75-100 mm
Cod: 8B2515 00 001
BRAKE KING PIN 100-125 mm
Cod: 8B2516 00 001



MOUNTING TOOL KING PIN
Cod: 8B5046 00 001
MOUNTING TOOL UNIVERSAL
Cod: 83926 00 001
MOUNTING TOOL DUKE EPF
Cod: 8B301 00 001



MOUNTING TOOL DUKE/BARON/TOUR S&L
Cod: 8B251800001
MOUNTING TOOL JESTER DEMO/XCELL DEMO/FDT
Cod: 8B252000001



BLIZZARD TSHIRT FW 17/18

Cod: 451463 01 081

100% cotton
size: S, M, L, XL, XXL



TECNICA TSHIRT FW 17/18

Cod: 451464 01 101

100% cotton
size: S, M, L, XL, XXL



BLIZZARD POLO

Cod: 451465 00 081

100% cotton
size: S, M, L, XL, XXL



TECNICA POLO FW 17/18

Cod: 451465 01 166

100% cotton
size: S, M, L, XL, XXL



BLIZZARD ISTITUTIONAL HOODIE

Cod: 451466 00 100

65% cotton; 35% polyester
size: S, M, L, XL, XXL



TECNICA HOODIE

Cod: 451467 01 166

65% cotton; 35% polyester
size: S, M, L, XL, XXL



TECNICA CAP FW 17/18 (10PCS)

Cod: 451474 01 101

20% cotton; 80% polyester
size: UNIVERSAL



BLIZZARD BEANIE FW 17/18 (10PCS)

Cod: 451431 01 081

100% acrylic
size: UNIVERSAL



RACING BACKPACK 85

Cod: 42237101 956

Capacity: 85 Lt
Color: black/orange



RACING BACKPACK 55

Cod: 42237301 956

Capacity: 55 Lt
Color: black/orange



BOOT BAG W2

Cod: 42238300 201

Color: anthracite



BACKPACK 25 W2

Cod: 42238400 201

Capacity: 25 Lt
Color: anthracite



LIFESTYLE BACKPACK 20

Cod: 42237901 775

Capacity: 20 Lt
Color: black/gray



DUFFEL BACKPACK 70

Cod: 42238200 775

Capacity: 85 Lt
Color: black/gray



SINGLE SKI BAG

Cod: 87608700 002

Color: black



PREMIUM BOOT BAG

Cod: 42238000 956

Color: black/orange



BOOT BAG

Cod: 42238100 956

Color: black/orange





**COCHISE ZERO G
LOWTECH ALPINE SOLES**

Cod: 40390D00 849



CANTING KIT 0,5°

Cod: 40390C00 100

CANTING KIT 1,0°

Cod: 40390A00 100



**MACH 1 / COCHISE
GRIP WALK SOLES**

Cod: 40390F00 849

**TEN.2 / COCHISE HV
GRIP WALK SOLES**

Cod: 40390G00 849



**COCHISE ZERO G
LOWTECH TOURING SOLES**

Cod: 40390E00 100



**C.A.S.THERMOFORM.
SYS.CUFF (EU)**

Cod: 45006500 000

**C.A.S.THERMOFORM.
SYS.CUFF (US)**

Cod: 45006501 000



**COCHISE C.A.S.
LINER KIT**

Cod: 40150000 800



FIT KIT

Cod: 40396100 051



**C.A.S. THERM-IC HEAT
LINER KIT**

Cod: 40150200 100



**ZERO G GUIDE
LINER KIT**

Cod: 40150100 800



**C.A.S. CUFF ADAPT
VOLUME REDUCER**

Cod: 400397500 000

SKI

C O L L E C T I O N

17

18



Blizzard is a division of Tecnica Group S.p.A.
31040 Giavera del Montello (TV) Italia
T +39 0422.8841 F +39 0422.775.178
info@blizzard-ski.com
blizzardsports.com